



Zhejiang NAC Group



www.zjnac-auto.com

Tel: +86-571-85774181

E-mail: zhuyue@zjnac.com

Add: 308 North Zhongshan Road, Hangzhou, China



ZJNAC RACKS CATALOG



ABOUT US

- National high-tech enterprise certified
 - 18 years experience in R&D and manufacturing
 - 300+ independent intellectual property rights
 - BSCI factory audited
 - ISO 9001:2015 certified
 - ISO 14001:2015 certified
- 13000 m² modern manufacturing base
 - 4 million+ units annual output
 - 10 units CNC welding machines
 - 14 units plastic injection machine
 - 3 units CNC metal laser cutting machines
 - 6 units CNC metal bending machine



CONTENTS




ROOF RACK.....	1 - 10
ROOF BIKE RACK.....	12
TOWBAR BIKE RACK.....	14 - 28
HITCH BIKE RACK.....	29 - 38
TRUNK BIKE RACK.....	40 - 44
RV BIKE RACK.....	45 - 48
HITCH CARGO CARRIER.....	49 - 52
ROOF BASKET.....	53 - 54
KAYAK / CANOE RACK.....	56
SKI / SNOWBOARD RACK.....	58 - 59
TRUCK BED RACK.....	60

NEW




RB-010AA

NEW



RB-010BB

NEW



RB-010CB


MODEL	SIZE	MAX LOAD	MATERIA
RB-010AA	120 cm 130cm 135 cm / 47.25 in 51.18 in 53.15 in	90 kg / 198 lb	Steel
RB-010BB	120 cm 130cm 135 cm / 47.25 in 51.18 in 53.15 in	90 kg / 198 lb	Aluminum alloy
RB-010CC	120 cm 130cm 135 cm / 47.25 in 51.18 in 53.15 in	90 kg / 198 lb	Aluminum alloy



MODEL	SIZE	MAX LOAD	MATERIA
RB-020AA	120 cm 130cm 135 cm / 47.25 in 51.18 in 53.15 in	90 kg / 198 lb	Steel
RB-020BB	120 cm 130cm 135 cm / 47.25 in 51.18 in 53.15 in	90 kg / 198 lb	Aluminum alloy
RB-020CC	120 cm 130cm 135 cm / 47.25 in 51.18 in 53.15 in	90 kg / 198 lb	Aluminum alloy



RB-020AA



RB-020BB



RB-020CB

NEW



NEW



NEW




NEW



RB-011AA


MODEL	SIZE	MAX LOAD	MATERIA
RB-011AA	120 cm 130cm 135 cm / 47.25 in 51.18 in 53.15 in	90 kg / 198 lb	Steel
RB-011BB	120 cm 130cm 135 cm / 47.25 in 51.18 in 53.15 in	90 kg / 198 lb	Aluminum alloy
RB-011CC	120 cm 130cm 135 cm / 47.25 in 51.18 in 53.15 in	90 kg / 198 lb	Aluminum alloy

NEW





RB-011BB

NEW




RB-011CB




MODEL	SIZE	MAX LOAD	MATERIA
RB-012AA	120 cm 130cm 135 cm / 47.25 in 51.18 in 53.15 in	90 kg / 198 lb	Steel
RB-012BB	120 cm 130cm 135 cm / 47.25 in 51.18 in 53.15 in	90 kg / 198 lb	Aluminum alloy
RB-012CC	120 cm 130cm 135 cm / 47.25 in 51.18 in 53.15 in	90 kg / 198 lb	Aluminum alloy



RB-012AA



RB-012BB



RB-012CB

NEW



NEW




NEW






RB-003A




RB-003B




MODEL	SIZE	MAX LOAD	MATERIAL
RB-003A	120 cm 135 cm / 47.25 in 53.15 in	90 kg / 198 lb	Steel
RB-003B	120 cm 135 cm / 47.25 in 53.15 in	90 kg / 198 lb	Aluminum alloy
RB-003C	120 cm 135 cm / 47.25 in 53.15 in	90 kg / 198 lb	Aluminum alloy



RB-003C



RB-003C-1




MODEL	SIZE	MAX LOAD	MATERIAL
RB-003A-1	120 cm 135 cm / 47.25 in 53.15 in	90 kg / 198 lb	Steel
RB-003B-1	120 cm 135 cm / 47.25 in 53.15 in	90 kg / 198 lb	Aluminum alloy
RB-003C-1	120 cm 135 cm / 47.25 in 53.15 in	90 kg / 198 lb	Aluminum alloy



RB-003A-1




RB-003B-1






RB-006 Phased out






RB-004-1






RB-007





RB-004








MODEL	SIZE	MAX LOAD	MATERIAL
RB-004	120 cm 135 cm / 47.25 in 53.15 in	90 kg / 198 lb	Aluminum alloy
RB-004-1	120 cm 135 cm / 47.25 in 53.15 in	90 kg / 198 lb	Aluminum alloy
RB-006	120 cm 135 cm / 47.25 in 53.15 in	90 kg / 198 lb	Aluminum alloy
RB-007	120 cm 135 cm / 47.25 in 53.15 in	90 kg / 198 lb	Aluminum alloy






RB-005





MODEL	SIZE	MAX LOAD	MATERIAL
RB-005	120 cm 135 cm / 47.25 in 53.15 in	90 kg / 198 lb	Aluminum alloy






MODEL	SIZE	MAX LOAD	MATERIAL
RB-008	120 cm 135 cm / 47.25 in 53.15 in	90 kg / 198 lb	Aluminum alloy





RB-008 Phased out



MODEL	SIZE	MAX LOAD	MATERIAL
RB-008-1	120 cm 135 cm / 47.25 in 53.15 in	90 kg / 198 lb	Aluminum alloy




RB-008-1 Phased out




MODEL	SIZE	MAX LOAD	MATERIAL
RB-009A	120 cm 135 cm / 47.25 in 53.15 in	90 kg / 198 lb	Steel
RB-009B	120 cm 135 cm / 47.25 in 53.15 in	90 kg / 198 lb	Aluminum alloy
RB-009C	120 cm 135 cm / 47.25 in 53.15 in	90 kg / 198 lb	Aluminum alloy




RB-009A



RB-009C



RB-009B





ROOF BIKE RACK



BC-001A



BC-001B



BC-001E



BC-001F



BIKE





MIN 22"
MAX 29"



MIN 20mm
MAX 55mm



MAX 115cm



MIN Ø30 mm
MAX Ø50 mm

MODEL	MAX LOAD	MATERIAL	BIKE
BC-001A	15 kg / 33 lb	Aluminum alloy	xl
BC-001B	15 kg / 33 lb	Aluminum alloy	xl



BIKE





MIN 22"
MAX 29"



MIN 20mm
MAX 60mm



MAX 115cm



MIN Ø30 mm
MAX Ø50 mm


MODEL	MAX LOAD	MATERIAL	BIKE
BC-001E	15 kg / 33 lb	Aluminum alloy	xl
BC-001F	15 kg / 33 lb	Aluminum alloy	xl



TOWBAR BIKE RACK



MODEL	MAX LOAD	MATERIAL	BIKE
TB-602	30 kg / 66 lb	Steel	xl




NEW



TB-602



MODEL	MAX LOAD	MATERIAL	BIKE
TB-601A-2	60 kg / 132 lb	Steel	x2
TB-601A-3	60 kg / 132 lb	Steel	x3



NEW



TB-601A-2


NEW



TB-601A-3



MODEL	MAX LOAD	MATERIAL	BIKE
TB-601B-2	60 kg / 132 lb	Steel	x2
TB-601B-3	60 kg / 132 lb	Steel	x3



NEW



TB-601B-2

NEW



TB-601B-3



MODEL	MAX LOAD	MATERIAL	BIKE
TB-603A-2	60 kg / 132 lb	Steel	x2
TB-603A-3	60 kg / 132 lb	Steel	x3




TB-603A-2



TB-603A-3



MODEL	MAX LOAD	MATERIAL	BIKE
TB-603B-2	60 kg / 132 lb	Steel	x2
TB-603B-3	60 kg / 132 lb	Steel	x3



TB-603B-2



TB-603B-3

BIKE

2" TOW BAR



13-PINS



MODEL	MAX LOAD	MATERIAL	BIKE
TB-006D2	30 kg / 66 lb	Aluminum alloy / Steel	x2
TB-006D3	45 kg / 99 lb	Aluminum alloy / Steel	x3
TB-006D4	60 kg / 132 lb	Aluminum alloy / Steel	x4

MIN 22"
MAX 29"

MIN 20mm
MAX 80mm

MAX 115cm



MIN Ø30 mm
MAX Ø50 mm



TB-006D2


TB-006D4

TB-006D3

BIKE

2" TOW BAR



13-PINS



MODEL	MAX LOAD	MATERIAL	BIKE
TB-009N2	30 kg / 66 lb	Aluminum alloy / Steel	x2
TB-009N3	45 kg / 99 lb	Aluminum alloy / Steel	x3
TB-009N4	60 kg / 132 lb	Aluminum alloy / Steel	x4

MIN 22"
MAX 29"

MIN 20mm
MAX 75mm

MAX 115cm



MIN Ø30 mm
MAX Ø50 mm




TB-009N2

TB-009N4

TB-009N3



MODEL	MAX LOAD	MATERIAL	BIKE
TB-009A2	30 kg / 66 lb	Aluminum alloy / Steel	x2
TB-009A3	45 kg / 99 lb	Aluminum alloy / Steel	x3
TB-009A4	60 kg / 132 lb	Aluminum alloy / Steel	x4



TB-009A2




TB-009A4



TB-009A3



MODEL	MAX LOAD	MATERIAL	BIKE
TB-009D2	30 kg / 66 lb	Aluminum alloy / Steel	x2
TB-009D3	45 kg / 99 lb	Aluminum alloy / Steel	x3
TB-009D4	60 kg / 132 lb	Aluminum alloy / Steel	x4




TB-009D2




TB-009D4



TB-009D3



MODEL	MAX LOAD	MATERIAL	BIKE
TB-010D2	30 kg / 66 lb	Aluminum alloy / Steel	x2
TB-010D3	45 kg / 99 lb	Aluminum alloy / Steel	x3
TB-010D4	60 kg / 132 lb	Aluminum alloy / Steel	x4



TB-010D2




TB-010D4



TB-010D3



MODEL	MAX LOAD	MATERIAL	BIKE
TB-005D2	30 kg / 66 lb	Steel	x2
TB-005D3	45 kg / 99 lb	Steel	x3
TB-005D4	60 kg / 132 lb	Steel	x4



TB-005D2



TB-005D4 Phased out



TB-005D3



BIKE




E-BIKE



2" TOW BAR





13-PINS





MIN 22"



MIN 20mm



MAX 120cm



MIN $\varnothing$ 30 mm

MAX $\varnothing$ 50 mm

MODEL	MAX LOAD	MATERIAL	BIKE / E-BIKE
TB-011-2 EB	60 kg / 132 lb	Aluminum alloy / Steel	x2



BIKE




E-BIKE



2" TOW BAR





13-PINS





MIN 22"



MIN 20mm



MAX 125cm



MIN $\varnothing$ 30 mm

MAX $\varnothing$ 50 mm

MODEL	MAX LOAD	MATERIAL	BIKE / E-BIKE
TB-011W-2 EB	60 kg / 132 lb	Aluminum alloy / Steel	x2

NEW

TB-011-2 EB



TB-011W-2 EB







BIKE




2" TOW BAR




No limit



No limit



No limit



MIN $\varnothing$ 30 mm
MAX $\varnothing$ 50 mm

MODEL	MAX LOAD	MATERIAL	BIKE
TB-402-2	30 kg / 66 lb	Steel	x2
TB-402-3	45 kg / 99 lb	Steel	x3



TB-402-2



TB-402-3



BIKE



2" TOW BAR




No limit



No limit



No limit



No limit



MIN $\varnothing$ 30 mm
MAX $\varnothing$ 50 mm

MODEL	MAX LOAD	MATERIAL	BIKE
TB-502-2	30 kg / 66 lb	Steel	x2
TB-502-3	45 kg / 99 lb	Steel	x3



TB-502-2



TB-502-3



MODEL	MAX LOAD	MATERIAL	BIKE
HB-202-2	30 kg / 66 lb	Steel	x2
HB-202-3	45 kg / 99 lb	Steel	x3
HB-202-4	60 kg / 132 lb	Steel	x4



HB-202-2



HB-202-4



HB-202-3



MODEL	MAX LOAD	MATERIAL	BIKE
HB-203-2	30 kg / 66 lb	Steel	x2
HB-203-3	45 kg / 99 lb	Steel	x3
HB-203-4	60 kg / 132 lb	Steel	x4



HB-203-2



HB-203-4



HB-203-3



BIKE



E-BIKE



2" RECEIVER







MIN 22"
MAX 29"



MIN 20mm
MAX 120mm



MAX 125cm

MODEL	MAX LOAD	MATERIAL	BIKE / E-BIKE
HB-304-2	60 kg / 132 lb	Steel	x2




HB-304-2



BIKE



E-BIKE



2" RECEIVER







MIN 17"
MAX 29"



MIN 40mm
MAX 120mm



MAX 135cm

MODEL	MAX LOAD	MATERIAL	BIKE / E-BIKE
HB-305-2	60 kg / 132 lb	Steel	x2




HB-305-2



BIKE



2" RECEIVER



MIN 22"
MAX 29"



MIN 20mm
MAX 60mm



MAX 115cm



MIN Ø30 mm
MAX Ø50 mm

MODEL	MAX LOAD	MATERIAL	BIKE
HB-302-2	30 kg / 66 lb	Steel	x2
HB-302-3	45 kg / 99 lb	Steel	x3
HB-302-4	60 kg / 132 lb	Steel	x4



HB-302-2



HB-302-4 Phased out



HB-302-3



BIKE




E-BIKE




2" RECEIVER







MIN 17"
MAX 29"



MIN 20mm
MAX 120mm




MAX 125cm

MODEL	MAX LOAD	MATERIAL	BIKE / E-BIKE
HB-303-2	60 kg / 132 lb	Steel	x2



HB-303-2




MODEL	MAX LOAD	MATERIAL	BIKE
HB-306	60 kg / 132 lb	Aluminum alloy / Steel	x2



NEW



HB-306



MODEL	MAX LOAD	MATERIAL	BIKE
HB-601B-2	60 kg / 132 lb	Steel	x2
HB-601B-3	60 kg / 132 lb	Steel	x3

NEW




HB-601B-2


NEW




HB-601B-3



MODEL	MAX LOAD	MATERIAL	BIKE
HB-602	30 kg / 66 lb	Steel	x1



MODEL	MAX LOAD	MATERIAL	BIKE
HB-603B-2	60 kg / 132 lb	Steel	x2
HB-603B-3	60 kg / 132 lb	Steel	x2



NEW



HB-603B-2

NEW



HB-603B-3



TRUNK BIKE RACK



BIKE



No limit



No limit



No limit



MIN $\varnothing$ 30 mm
MAX $\varnothing$ 50 mm

MODEL	MAX LOAD	MATERIAL	BIKE
BC-003	45 kg / 99 lb	Aluminum alloy / Steel	x3
BC-004	45 kg / 99 lb	Aluminum alloy / Steel	x3
BC-005	45 kg / 99 lb	Steel	x3



BC-003



BC-004



BC-005


BIKE


MIN 22"
MAX 29"


MIN 20mm
MAX 55mm


MAX 110cm


MIN Ø30 mm
MAX Ø50 mm

MODEL	MAX LOAD	MATERIAL	BIKE
BC-006A2	30 kg / 66 lb	Aluminum alloy	x2
BC-006A3	45 kg / 99 lb	Aluminum alloy	x3



BC-006A2



BC-006A3


BIKE


MIN 22"
MAX 29"


MIN 20mm
MAX 60mm


MAX 115cm


MIN Ø30 mm
MAX Ø50 mm

MODEL	MAX LOAD	MATERIAL	BIKE
BC-006-2	30 kg / 66 lb	Aluminum alloy	x2
BC-006-3	45 kg / 99 lb	Aluminum alloy	x3



BC-006-2



BC-006-3




BIKE



MIN 22"
MAX 29"



MIN 20mm
MAX 55mm



MAX 110cm



MIN $\varnothing$ 30 mm
MAX $\varnothing$ 50 mm

MODEL	MAX LOAD	MATERIAL	BIKE
BC-007-2	30 kg / 66 lb	Aluminum alloy / Steel	x2
BC-007-3	45 kg / 99 lb	Aluminum alloy / Steel	x3



BC-007-3



BC-007-2



BIKE



MIN 22"
MAX 29"



MIN 20mm
MAX 60mm



MAX 115cm



MIN $\varnothing$ 30 mm
MAX $\varnothing$ 50 mm

MODEL	MAX LOAD	MATERIAL	BIKE
BC-008-2	30 kg / 66 lb	Aluminum alloy / Steel	x2
BC-008-3	45 kg / 99 lb	Aluminum alloy / Steel	x3



BC-008-2




BC-008-3



MODEL	MAX LOAD	MATERIAL	BIKE
BC-010A	40 kg / 88 lb	Aluminum alloy	x2




BC-010A



MODEL	MAX LOAD	MATERIAL	BIKE
BC-010B	50 kg / 110 lb	Aluminum alloy	x2



BC-010B




MODEL	MAX LOAD	MATERIAL	BIKE
BC-010C	40 kg / 88 lb	Aluminum alloy	x2

NEW



BC-010C



MODEL	MAX LOAD	MATERIAL	BIKE
BC-010D	60 kg / 132 lb	Steel	x2

NEW



BC-010D

NEW



HB-006

MODEL	SIZE	MAX LOAD	MATERIAL
HB-006	1175 x 621 x 195 mm	90 kg / 198 lb	Steel



NEW



HB-007

MODEL	SIZE	MAX LOAD	MATERIAL
HB-007	1475 x 1042 x 239 mm	90 kg / 198 lb	Steel



HITCH CARGO CARRIER



NEW

HB-004



NEW

HB-005

MODEL	SIZE	MAX LOAD	MATERIAL
HB-004	1262 x 1027 x 274 mm	225 kg / 496 lb	Aluminum alloy / Steel
HB-005	1510 x 990 x 295 mm	225 kg / 496 lb	Steel



HB-003-1



HB-003-2



HB-003-3


MODEL	SIZE	MAX LOAD	MATERIAL
HB-003-1	1510 x 915 x 255 mm	150 kg / 330 lb	Steel
HB-003-2	1510 x 915 x 255 mm	150 kg / 330 lb	Steel
HB-003-2	1510 x 915 x 255 mm	150 kg / 330 lb	Steel



NEW



RT-05A



RT-02



RT-04



RT-03



RT-03L

MODEL	SIZE	MAX LOAD	MATERIAL
RT-01	1400 x 100 x 150 mm	90 kg / 198 lb	Aluminum alloy
RT-02	1400 x 100 x 150 mm	90 kg / 198 lb	Steel
RT-04	1400 x 100 x 150 mm	90 kg / 198 lb	Steel
RT-05A	1400 x 100 x 107 mm	90 kg / 198 lb	Aluminum alloy



MODEL	SIZE	MAX LOAD	MATERIAL
RT-03	1120 x 1000 x 150 mm	90 kg / 198 lb	Steel
RT-03L	1625 x 990 x 150 mm	90 kg / 198 lb	Steel





KAYAK / CANOE RACK



KC-001A



KC-001C



KC-002



KC-004



MODEL	MAX LOAD	MATERIAL
KC-001A	45 kg / 99 lb	Aluminum alloy / Steel
KC-001C	45 kg / 99 lb	Aluminum alloy / Steel
KC-002	45 kg / 99 lb	Steel
KC-004	72.5 kg / 160 lb	Aluminum alloy
KC-005	35.0 kg / 77 lb	Steel



SKI / SNOWBOARD RACK



NEW

SC-004A



NEW

SC-004B
Slide-out

MODEL	SIZE	MAX LOAD	MATERIAL	SKI CARRIER	SNOWBOARD CARRIER
SC-004A	713 mm / 28.07 in	28 kg / 61 lb	Aluminum alloy	x6	x4
SC-004B	912 mm / 35.91 in	42 kg / 92 lb	Aluminum alloy	x4	x2





SC-001-2

MODEL	SIZE	MAX LOAD	MATERIAL	SKI CARRIER	SNOWBOARD CARRIER
SC-001-2	760 mm / 29.92 in	35 kg / 77 lb	Aluminum alloy	x6	x4
SC-001-3	570 mm / 22.44 in	35 kg / 77 lb	Aluminum alloy	x4	x2



MODEL	MAX LOAD	MATERIAL
TR-01	360 kg / 793 lb	Steel

